

SAFETY DATA SHEET

1. Identification

Product identifier Harvey ALL-IN-1 ADHESIVE And GROUT

Other means of identification

Product code 031700E

Synonyms Part Numbers: 031700

Recommended use Adhesive or Grout for plumbing applications

Recommended restrictions Do not us on applications where product will be submerged under water.

Manufacturer/Importer/Supplier/Distributor information

Company Name William H. Harvey Company

Address 4334 South 67th Street

Omaha, NE 68117

Telephone 402-331-1175
E-mail info@oatey.com

Transport Emergency Chemtrec 1-800-424-9300 (Outside the US 1-703-527-3887)

Emergency First Aid 1-877-740-5015

Contact person MSDS Coordinator

2. Hazard(s) identification

Physical hazards Not Classified.
Health hazards Not Classified.
OSHA defined hazards Not Classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement This product was determined to be non-hazardous.

Precautionary statement

Prevention Not applicable
Response Not applicable.
Storage Not applicable.
Disposal Not applicable.
Hazard(s) not otherwise classified (HNOC)
None known.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Sodium nitrate	7632-00-0	< 0.1
Distillates (petroleum), hydrotreated middle	64742-46-7	1 - 5
Titanium Dioxide (White Sealant Only)	13463-67-7	1 – 5
Dipropylene Glycol dibenzoate	27138-31-4	1 - 5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if symptoms occur.

Skin contact Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get

Harvey ALL-IN-1 Adhesive and Grout SDS US SDS # Version #: 01 Revision date: Issue date: 12-May-2015 Page 1 of 6

medical attention if symptoms occur.

Eye contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses. Get medical attention if irritation occurs.

Ingestion Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable

Use dry chemical, CO2, alcohol-resistant foam or water spray (fog).

for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical

personnel. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed.

Contact poison treatment specialist immediately if large quantities have been ingested or

inhaled.

water jet

Skin or eve irritation.

General information Note to physician, treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media

Specific hazards arising from

the chemical

No specific fire or explosion hazard.

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Use water spray to keep fire-exposed containers cool. Fire water contaminated with this

material must be contained and prevented from being discharged to any waterway, sewer or

drain. None None

Specific methods
General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Methods and materials for containment and cleaning up

Large Spills: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste disposal.

Small Spills: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 of SDS for emergency contact information and section 13 of SDS for waste disposal.

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

7. Handling and storage

Precautions for safe handling

Put on appropriate personal protective equipment (see section 8 of SDS). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hydiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10 of SDS) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Issue date: 12-May-2015

Harvey ALL-IN-1 Adhesive and Grout SDS # Version #: 01 Revision date:

SDS US

Page 2 of 6

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Туре	Value
Distillates (petroleum), hydrotreated middle	TLV	5 mg/m3
Titanium Dioxide	TLV	10 mg/m3

Biological limit values No Biological limits.

Appropriate engineering

controls

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep

worker exposure below any recommended or statutory limits.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment

indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Skin protection

Hand

Other

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before

handling this product.

Respiratory protection

Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Thermal hazards None.

General hygiene considerations

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

9. Physical and chemical properties

Appearance

Physical state Solid.
Form Paste
Color White
Odor Slight

Odor threshold Not available.

pH 7.85

Melting point/freezing point Not applicable.

Initial boiling point and boiling Not determined

range

Flash point > 199 °F (> 93.3 °C)

Upper/lower flammability or explosive limits
Flammability limit – lower (%)
Flammability limit – upper (%)
Explosive limit - lower (%)
Explosive limit - upper (%)
Vapor pressure
Vapor density
Not available
Not available
Not applicable
Not applicable

Relative density 1.50

Solubility(ies)

Solubility (water) Not available

Partition coefficient

(n-octanol/water)Not availableAuto-ignition temperatureNot applicableDecomposition temperatureNot availableViscosityNot available

Other information

VOC (Weight %) 1.4% or 37 g/L

Harvey ALL-IN-1 Adhesive and Grout SDS # Version #: 01 Revision date: Issue date: 12-May-2015

10. Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability The product is stable.

Possibility of hazardous

reaction

products

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid No specific data. No specific data. Incompatible materials

Hazardous decomposition Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

11. Toxicological information

Information on likely routes of exposure

Inhalation No known significant effects or critical hazards. No known significant effects or critical hazards. Skin contact Eye contact No known significant effects or critical hazards. Ingestion No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics No specific data.

Information on likely routes of exposure

Acute Toxicity

Components Results Species

Skin corrosion/irritation Not determined.

Serious eye damage/eye

irritation

Not determined.

Respiratory or skin sensitization

Respiratory sensitization Not considered a respiratory irritant

Skin sensitization This product is not expected to cause skin irritation.

Germ cell mutagenicity No specific data

Carcinogenicity No known significant effects or critical hazards. Reproductive toxicity No known significant effects or critical hazards.

Specific target organ toxicity

Not Classified. Single exposure Not Classified. Repeated exposure

Aspiration Hazard Contains Distillates (petroleum), hydrotreated – Which is a category 1 Aspiration Hazard. The

likely hood of aspirating the product in this form is very low due to the high viscosity.

Chronic effects Not Classified.

Further information

12. Ecological information

Ecotoxicity

Product/ingredient name	Results	Species	Exposure		
Distillates (petroleum), hydrotreated light					
	Acute LC50 2,900 μg/l Fresh water	Fish - Rainbow trout, Donaldson trout	t 96 h		
	Acute LC50 2,200 µg/l Fresh water	Fish - Bluegill	96 h		

Persistence and degradability Not Available. Bio accumulative potential Not Available. Mobility in soil Not available.

Other adverse effects No known significant effects of critical hazards.

13. Disposal considerations

Harvey ALL-IN-1 Adhesive and Grout SDS US SDS # Version #: 01 Revision date: Issue date: 12-May-2015 Page 4 of 6

Disposal instructions The generation of waste should be avoided or minimized wherever possible. Disposal of this

product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways,

Local disposal regulations Not Applicable Hazardous waste code Not Applicable

drains and sewers.

14. Transportation information

DOT Not Regulated

UN number

UN Proper Shipping Name Transportation Hazard

classes

Packing group

IATA Not Regulated

UN number

UN Proper Shipping Name Transportation Hazard

classes

Packing group

IMDG Not Regulated

UN number

UN Proper Shipping Name Transportation Hazard

classes

Packing group

Environmental hazards Marine polluntant

15. Regulatory information

U.S. Federal regulations

SARA 311/312

Classification Acute: Yes, Chronic: No, Fire: No, Pressure: No, Reactive: No,

US state regulations

California Prop 65 This product contains a chemical known to the State of California to cause cancer, birth defects,

or other reproductive harm.

TSCA Status

Yes **United States & Puerto Rico** Toxic Substances Control Act (TSCA 8b)

16. Other information, including date of preparation or last revision

Issue Date 12-May-2015

Revision Date Version # 01 **HMIS Rating** Health: 1 Flammability: 1

Physical Hazards: 0

Harvey ALL-IN-1 Adhesive and Grout SDS US SDS # Version #: 01 Revision date: Issue date: 12-May-2015 Page 5 of 6

Disclaimer

William H. Harvey Co. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Issue date: 12-May-2015