For Residential and Commercial Applications

Job Name: Engineer/Architect:

Job Location: Wholesaler:

Submittal Date: Contractor:

KTR07/15/17/37X 1/4 Turn Angle Ball Stop – Female Iron Pipe x Compression

Use: For use in potable water distribution systems in accessible locations only.

Design Features:

- Machined brass ball is specially engineered and mated with PTFE seats to provide smooth operation
- Two high-performance o-rings withstand high temperatures and corrosion
- Machined, one-piece brass body provides strength, durability, and long-lasting performance
- Brass stem is assembled from the inside out with two o-rings to ensure safe, reliable performance
- Plated stem provides corrosion resistance and prevents o-ring damage
- Metal handle is designed for durability, corrosion resistance, and a sleek appearance
- Easy-to-remove handle with screw attachment helps protect against accidental stop operation during rough-ins
- 100% leak tested




Operating Specifications:

Temperature: 40°- 180° F

Pressure: 125 PSI maximum


STOP MATERIAL SPECIFICATIONS				
Body	Brass, plated			
Stem	Brass, plated			
Seat	PTFE			
Ball	Brass, plated			
Stem o-ring	Rubber			
Handle	Zinc die cast, plated			
Handle Screw	Steel, zinc plated			
Compression Sleeve	Brass			
Compression Nut	Brass, plated			



KTR07/15/17/37X 1/4 Turn Angle Ball Stop – Female Iron Pipe x Compression

Part	Part Listing:					
	KTR07X C	1/2" FIP x 1/4" OD compression, chrome plated				
	KTR07X CM	1/2" FIP x 1/4" OD compression, chrome plated, contractor 5 pack				
	KTR15X C	3/8" FIP x 3/8" OD compression, chrome plated				
	KTR15X C1	3/8" FIP x 3/8" OD compression, chrome plated, window tray				
	KTR15L1X CB	3/8" FIP x 3/8" OD compression, less nut, chrome plated, bulk				
	KTR17X C	1/2" FIP x 3/8" OD compression, chrome plated				
	KTR17X C1	1/2" FIP x 3/8" OD compression, chrome plated, window tray				
	KTR17X CM	1/2" FIP x 3/8" OD compression, chrome plated, contractor 5 pack				
	KTR17L1X CB	1/2" FIP x 3/8" OD compression, less nut, chrome plated, bulk				
	KTR37X C	1/2" FIP x 1/2" OD compression, chrome plated				
	KTR37X CM	1/2" FIP x 1/2" OD compression, chrome plated, contractor 5 pack				

PART DIMENSIONS (Inches)						
Model	DIM. A	DIM. B	DIM. C	DIM. D		
KTR07X	1.14	2.13	1.92	.91		
KTR15X	1.20	2.13	1.92	.91		
KTR17X	1.20	2.13	1.92	.91		
KTR37X	1.32	2.13	2.02	.91		



Listings & Certifications:

 IAPMO listed to ASME A112.18.1 / CSA B125.1 (includes NSF/ANSI 372 and NSF/ANSI/CAN 61)







This specification and all information contained herein is the confidential and exclusive property of Brasscraft Manufacturing Company and shall not be disclosed to others without the written consent of Brasscraft Mfg. Co. This specification must be returned to Brasscraft Mfg. Co. if requested.

