

SDS# GGC-12, GGC-6 Total Pages: 7
Date: August 2017

Drain Gun SWOOSH Cartridges

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Carbon Dioxide Gas, Compressed, Cartridge

Catalog Number: GGC-12, GGC-6
Manufactured by: DiversiTech Corporation
6650 Sugarloaf Parkway
Duluth, GA, 30097

Information Phone No.: 1+678.542.3600

EMERGENCY Phone No.: 1 800.255.3924 Chem-Tel (Chemical Emergencies)

SECTION 2. HAZARDOUS IDENTIFICATION

OSHA/HCS status This material is considered "articles" by the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is **exempted** from the OSHA/HCS labeling criteria.

DOT status This material is a container for carbon dioxide with no more than 4 fluid ounces of capacityand is considered "**ORM-D**" or "**Consumer Commodity**" by the Department of Transportation (49 CFR 172.101 and 173.306). This material is exempted from the DOTlabeling criteria, except when offered for transportation or transported by air.

GHS status This material is considered "articles" by the Global Harmonized System in accordance with 29 CFR 1910.1200 and is exempted from the GHS labeling and SDS classification criteria.

Precautionary statements

General Read and follow all Product Safety Data Sheets (PSDS'S) before use. Read label beforeuse. Keep out of reach of children. If medical advice is needed, have product container or label at hand. Use equipment rated for cylinder pressure. Do not puncture until connected to equipment prepared for use. Do not remove until contents is empty. Do not throw into fire. Use only equipment of compatible materials of construction.

Prevention Use and store outdoors or in a well ventilated place.

Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Storage Protect from sunlight. Protect from sunlight when ambient temperature exceeds 52°C/125°F. Store in a well-ventilated place.

Disposal Dispose in accordance with all applicable regulations. Do not incinerate unless content is empty.

Hazards not otherwise classified In addition to any other important health or physical hazards, this product may displace oxygen and cause rapid suffocation. May cause frostbite.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Substance

Chemical Name Carbon Dioxide

Synonyms Carbonic, Carbon Dioxide, Carbon Anhydride, CO2

CAS Number 124-38-9

Content (vo%) 99.8 % or more

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation Remove exposed person to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular, or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.



Drain Gun SWOOSH Cartridges

SECTION 4. FIRST AID MEASURES (cont.)

Skin Contact Carbon dioxide is harmless at atmospheric pressure. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Eye Contact Carbon dioxide is harmless at atmospheric pressure. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs. Ingestion Refer to the inhalation section.

4.2 Most important symptoms/effects, acute and delayed

Potential acute health effects

Inhalation No known significant effects or critical hazards.

Skin Contact No known significant effects or critical hazards.

Eye Contact No known significant effects or critical hazards.

Frostbite Try to warm up the frozen tissues and seek medical attention.

Ingestion Refer to the inhalation section.

4.3 Over-exposure signs/symptoms

Inhalation No specific data. Skin Contact No specific data. Eye Contact No specific data. Ingestion No specific data.

4.4 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. **Specific treatments** No specific treatment.

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

SECTION 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media No specific treatment.

Specific hazards arising from the chemical Contains gas under pressure. In a fire or if heated, a pressure increase will occur and the container may burst or explode.

Hazardous thermal decomposition products Decomposition products may include the following materials: Carbon dioxide, Carbon monoxide Special protective actions for fire-fighters Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Contact supplier immediately for specialist advice. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters Fire-fighters should wear appropriate equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Avoid breathing gas. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions Ensure emergency procedures to deal with accidental gas releases are in place to avoid contamination of the environment. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.2 Methods and materials for containment and cleaning up

Small spill This material contains no more than 40grams of carbon dioxide, in case of spill, allow carbon dioxide to vent naturally. Do not handle the cylinder without protective gloves as it may causefrostbite.

Large spill This material contains no more than 40grams of carbon dioxide, in case of spill, allow carbon dioxide to vent naturally. Do not handle the cylinder without protective gloves as it may cause frostbite.

DiversiTech Corporation 6650 Sugarloaf Parkway Duluth, GA 30097 Chemical Emergency: P 800-255-3924 P 678.542.3600



Drain Gun SWOOSH Cartridges

SECTION 7. HANDLING AND STORAGE

7.1 Precaution for safe handling

Protective measures Put on appropriate personal protective equipment (see Section 8). Contains gas under pressure. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Empty containers retain product residue and can be hazardous. Do not puncture or incinerate container. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. Use a suitable hand truck for cylinder movement.

Advice on general occupational hygiene Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage,including any incompatibility Store in accordance with local regulations. Store in a segregated and approved area. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Keep container tightly closed and sealed until ready for use. Cylinders should be stored upright, with valve protection cap in place, and firmly secured to prevent falling or being knocked over. Cylinder temperatures should not exceed 52°C (125°F).

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical facilities: No further data; see item 7

8.1 Control parameters

This material contains no more than 40 grams of Carbon Dioxide. Although unlikely to result in serious exposures, the following Control parameters Occupational exposure limits are provided for regulatory purpose.

Occupational exposure limits Ingredient name

Carbon Dioxide

Exposure Limits

ACGIH TLV (United States, 3/2012). Oxygen Depletion [Asphyxiant].

STEL: 54000 mg/m3 15 minutes. STEL: 30000 ppm 15 minutes. TWA: 9000 mg/m3 8 hours TWA: 5000 ppm 8 hours. NIOSH REL (United States, 1/2013).

STEL: 54000 mg/m3 15 minutes. STEL: 30000 ppm 15 minutes. TWA: 9000 mg/m3 8 hours TWA: 5000 ppm 8 hours. OSHA PEL (United States, 6/2010). TWA: 9000 mg/m3 8 hours

TWA: 5000 ppm 8 hours. OSHA PEL 1989 (United States, 3/1989). STEL: 54000 mg/m3 15 minutes.

STEL: 30000 ppm 15 minutes. TWA: 9000 mg/m3 8 hours TWA: 5000 ppm 8 hours

Appropriate engineering controls Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Precautions for safe handling

Protective measures Put on appropriate personal protective equipment (see Section 8). Contains gasunder pressure. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Empty containers retain product residue and can be hazardous.

Individual protection measure

Hygiene measure Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking, using the lavatory and at the end of your shift. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/Face protection Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.



Drain Gun SWOOSH Cartridges

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION (cont.)

8.2 Skin protection

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state Gas at normal temperature and pressure

ColorColorlessMolecular weight44.01g/molMolecular fomulaC-O2

Melting/freezing point Sublimation temperature: -79°C (-110.2°F)

Critical temperature30.85°C (87.5°F)OdorOdorlessOdor thresholdNot availablepHNot available

Flash point [Product does not sustain combustion]

Burning time Not available
Burning rate Not available
Evaporation rate Not available
Flammability (solid, gas) Not available
Lower and upper explosive (flammable) limits Vapor pressure Not available
830 psig

Vapor density 1.53 (Air = 1), Liquid Density@BP: Solid Density = 97.5 lb/ft3 (1562 kg/m3)

 Solubility in Water
 Not available

 Partition coefficient
 0.83

 n-octano / water
 Not available

 Auto-ignition temperature
 Not available

 Decomposition temperature
 Not available

 SADT
 Not available

 Viscosity
 Not available

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

No specific test data related to reactivity is available for this product or its ingredients.

10.2 Chemical stability

The product is stable

10.3 Possibility of hazardous reaction

Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid

No specific data.

10.5 Hazardous decomposition

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

10.6 Hazardous polymerization

Under normal conditions of storage and use, hazardous polymerization will not occur.

F 678.542.3700



Drain Gun SWOOSH Cartridges

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity Not Available Not available Irritation / Corrosion Sensitization Not available Mutagenicity Not available Carcinogenicity Not available Reproductive toxicity Not available Teratogenicity Not available Specific target organ toxicity (single exposure) Not available Not available Specific target organ toxicity (repeated exposure) Aspiration hazard Not available Information on the likely route of exposure Not available

11.2 Potential acute health effects

Eye contactNo known significant effects or critical hazards.InhalationNo known significant effects or critical hazards.Skin contactNo known significant effects or critical hazards.

Ingestion Since this product is a gas, refer to the inhalation section.

11.3 Symptoms related to the physical, chemical, and toxicological characteristics

Eye contactNo specific data.InhalationNo specific data.Skin contactNo specific data.IngestionNo specific data.

11.4 Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects Not available Potential delayed effects Not available

Long term exposure

Potential immediate effects Not available Potential delayed effects Not available

11.5 Potential chronic health effects - Not available

GeneralNo known significant effects or critical hazards.CarcinogenicityNo known significant effects or critical hazards.MutagenicityNo known significant effects or critical hazards.TeratogenicityNo known significant effects or critical hazards.Developmental effectsNo known significant effects or critical hazards.Fertility effectsNo known significant effects or critical hazards.

11.6 Numerical measures of toxicity

Acute toxicity estimate Not available

SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity Not available Persistence and degradability Not available

Bioaccumulative potential

Product / Ingredient name Log Pow BCF Potential Carbon Dioxide 0.83 - low

Mobility in soil

Soil/Water partition coefficient (KOC) Not available
Other adverse effects Not available

F 678.542.3700



Drain Gun SWOOSH Cartridges

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Discharge of Carbon Dioxide Gradually release in open air.

Disposal of Cylinders If gas remains in cylinders, release gas with proper equipment and recycle cylinders as recyclable steel.

Verify for puncture hole.

Do not dispose or recycle without first checking that all gas has been released and there is apuncture hole on the cylinder.

SECTION 14. TRANSPORTATION INFORMATION

USA DOT Consumer Commodity

No Hazmat Required 49 CFR 173.306 Limited Quantities of Compressed Gas

Hazard Class ORM-D "Consumer Commodity"

Placard Not required in accordance to 49 CFR 173.306

Special Shipping Information Relabelled as Consumer Commodity (ORM-D) in accordance with CFR 49, 172.101, 173.306 (i)(2), and Docket No.

PHMSA-2009-0126 (HM-215K).

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The following selected regulatory requirements may apply to this product. Not all such requirements are identified. Users of this product are solely responsible for compliancewith all applicable international and domestic (including but not limited to federal, state, and local) regulations.

U.S. Federal Regulations None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan. This material is considered "articles" by the OSHA Hazard Communication Standard (29 CFR 1910.1200) and is exempted from the OSHA/HCS labeling criteria.

This material is a container for carbon dioxide with no more than 4 fluid ounces of capacity and is considered "ORM-D" or "Consumer Commodity" by the Department of Transportation (49 CFR 173.101 and 173.306). This material is exempted from the DOT labeling criteria, except when offered for transportation or transported by air.

SARA 311/312 Hazardous Categories

Fire hazard NO
Sudden release of pressure YES
Reactive NO
Immediate (acute) health hazard NO
Delayed (chronic) health hazard NO

State Regulations

Massachusetts This material is listed
New Jersey This material is listed
Pennsylvania This material is listed
California This material is listed

Not regulated under CA Proposition 65.

SECTION 16. OTHER INFORMATION

Hazard Rating Systems NFPA Ratings HMIS Ratings

Health = 2 Health = 1
Flammability = 0 Flammability = 0
Reactivity = 0 Physical Hazard = 3
Special = SA

Key to abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

BCF Bioconcentration Factor



Drain Gun SWOOSH Cartridges

SECTION 16. OTHER INFORMATION (cont.)

CAS Chemical Abstract Services

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

CFR United States Code of Federal Regulations

DOT Department of Transportation

GHS Globally Harmonized System of Classification and Labeling of Chemicals

IATA International Air Transport Association
IMDG International Maritime Dangerous Goods

Log Pow Logarithm of the octanol/water partition coefficient

NIOSH National Institute for Occupational Safety and Health

OSHA Occupational Safety and Healthy Organizaton

STEL Short-term Exposure Limit

SARA Superfund Amendments and Reauthorization Act

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
TWA Time Weighted Average

DISCLAIMER: This PSDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by the DiversiTech Corporation and its affiliates to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations. This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. DiversiTech Corporation and its affiliates assume no responsibility for injury tothe recipient or third persons, or for any damage to any property resulting from misuse of the product. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee they are the only hazards that exist.

F 678.542.3700