



Core & Coil (71A) MH ~LT~ 175W

CORE & COIL HID 71A5390001D

The basic ballast is the open core and coil which is most often used as a component within a lighting luminaire. The core and coil also forms the nucleus of Philips Advance's five other ballast configurations.

Product data

General Information		
ANSI Code	M90-M140	
Lamp Type	100 MH	
Number Of Lamps	1 piece/unit	
Circuit Type	HX-HPF	
Ballast Type	Magnetic HID	
Base Model	71A5390	
Core Size	3 X 4 (2 LW)	
Suitable For Outdoor Use	Yes	
Ignitor Catalog Number	LI533-H4	
Ignitor Temperature Rating	105°C	
Capacitor Value	12 MFD	
Capacitor Catalog Number	7C120M30RA	
Capacitor Requirements	280V	
Capacitor Temperature Rating	105°C	
Capacitor Diameter/Oval Dimensions	1.65 in	
Capacitor Height	2.75 in	
Automatic Restart	No	

Operating and Electrical				
Input Voltage	120/208/240/277 V			
Input Frequency	60 Hz			
Input Current (Open Circuit)	2.5/1.5/1.3/1.12 A			
Input Current (Starting)	1.24/0.54/0.45/0.4 A			
Input Current (Short Circuit)	0.63-0.95/0.43-0.65/0.37-0.55/0.29-0.44 A			
Secondary Short Circuit Current	1.35-1.7 A			
Constant Wattage Deviation	12%			
Ballast Factor (Nom)	1			
Power Factor (Nom)	0.90			
Open Circuit Voltage	260 V			
Input Current (Nom)	1.15/0.66/0.58/0.5 A A			
Input Power (Nom)	129 W			
Rated Lamp Power	100 W			
Wiring				
Wire Striplength	0.5 mm			
Wire Length By Color	12"			
Wire Type	Stranded			
Remote Wiring Configuration Allowed	Yes			


Datasheet, 2015, December 23 data subject to change

Core & Coil (71A) MH ~LT~ 175W

Max Ballast-Lamp Distance Remote Wiring	20'				
Recommended Fuse Value	10/5/5/4 A				
Approval and Application					
Open Circuit Voltage Test (Volts)	240-300 V				
Approval Marks	ULR CSA certificate RoHS Compliant				
Temperature Marking	B/B/A/A				
UL Recognized	Yes				
Hipot Test (1 Minute)	2000 V				
Hipot Test (2 Seconds)	2500 V				
UL Insulation Class	H(180°C)				
UL Temperature Code	1029B				

Product Data				
Order product name	CORE & COIL HID 71A5390001D			
EAN/UPC - Product	781087017838			
Order code	913700533009			
Numerator - Quantity Per Pack	1			
Numerator - Packs per outer box	1			
Material Nr. (12NC)	913700533009			
Net Weight (Piece)	2.541 kg			

Dimensional drawing



MH BAL 100W 90/140 QUAD KIT

Product	C1	C2	A1	A2	B1	B2
CORE & COIL HID 71A5390001D	3.07 in	1.5 in	3.9 in	3.5 in	2.8 in	2.4 in

